



AS568 UNIVERSAL DASH NUMBERS	NOMINAL SIZE			STANDARD O-RING SIZE				METRIC O-RING SIZE			
	INCHES			INCHES				MILLIMETERS			
	I.D.	O.D.	W.	I.D.	±	W	±	I.D.	±	W	±
-001	1/32	3/32	1/32	.029	.004	.040	.003	0.74	0.1	1.02	0.08
-002	3/64	9/64	3/64	.042	.004	.050	.003	1.07	0.1	1.27	0.08
-003	1/16	3/16	1/16	.056	.004	.060	.003	1.42	0.1	1.52	0.08
-004	5/64	13/64	1/16	.070	.005	.070	.003	1.78	0.13	1.78	0.08
-005	3/32	7/32	1/16	.101	.005	.070	.003	2.57	0.13	1.78	0.08
-006	1/8	1/4	1/16	.114	.005	.070	.003	2.9	0.13	1.78	0.08
-007	5/32	9/32	1/16	.145	.005	.070	.003	3.68	0.13	1.78	0.08
-008	3/16	5/16	1/16	.176	.005	.070	.003	4.47	0.13	1.78	0.08
-009	7/32	11/32	1/16	.208	.005	.070	.003	5.28	0.13	1.78	0.08
-010	1/4	3/8	1/16	.239	.005	.070	.003	6.07	0.13	1.78	0.08
-011	5/16	7/16	1/16	.301	.005	.070	.003	7.65	0.13	1.78	0.08
-012	3/8	1/2	1/16	.364	.005	.070	.003	9.25	0.13	1.78	0.08
-013	7/16	9/16	1/16	.426	.005	.070	.003	10.82	0.13	1.78	0.08
-014	1/2	5/8	1/16	.489	.005	.070	.003	12.42	0.13	1.78	0.08
-015	9/16	11/16	1/16	.551	.007	.070	.003	14	0.18	1.78	0.08
-016	5/8	3/4	1/8	.614	.009	.070	.003	15.6	0.23	1.78	0.08
-017	11/16	13/16	1/16	.676	.009	.070	.003	17.17	0.23	1.78	0.08
-018	3/4	7/8	1/16	.739	.009	.070	.003	18.77	0.23	1.78	0.08
-019	13/16	15/16	1/16	.801	.009	.070	.003	20.35	0.23	1.78	0.08
-020	7/8	1	1/16	.864	.009	.070	.003	21.95	0.23	1.78	0.08
-021	15/16	1 1/16	1/16	.926	.009	.070	.003	23.52	0.23	1.78	0.08
-022	1	1/8	1/16	.989	.010	.070	.003	25.12	0.25	1.78	0.08
-023	1 1/16	1 3/16	1/16	1.051	.010	.070	.003	26.7	0.25	1.78	0.08
-024	1 1/8	1 1/4	1/16	1.114	.010	.070	.003	28.3	0.25	1.78	0.08
-025	1 3/16	1 5/16	1/16	1.176	.011	.070	.003	29.87	0.28	1.78	0.08
-026	1 1/4	1 3/8	1/16	1.239	.011	.070	.003	31.47	0.28	1.78	0.08
-027	1 5/16	1 7/16	1/16	1.301	.011	.070	.003	33.05	0.28	1.78	0.08
-028	1 3/8	1 1/2	1/16	1.364	.013	.070	.003	34.65	0.33	1.78	0.08
-029	1 1/2	1 5/8	1/16	1.489	.013	.070	.003	37.82	0.33	1.78	0.08
-030	1 5/8	1 3/4	1/16	1.614	.013	.070	.003	41	0.33	1.78	0.08
-031	1 3/4	1 7/8	1/16	1.739	.015	.070	.003	44.17	0.38	1.78	0.08
-032	1 7/8	2	1/16	1.864	.015	.070	.003	47.35	0.38	1.78	0.08
-033	2	2 1/8	1/16	1.989	.018	.070	.003	50.52	0.46	1.78	0.08
-034	2 1/8	2 1/4	1/16	2.114	.018	.070	.003	53.7	0.46	1.78	0.08
-035	2 1/4	2 3/8	1/16	2.239	.018	.070	.003	56.87	0.46	1.78	0.08
-036	2 3/8	2 1/2	1/16	2.364	.018	.070	.003	60.05	0.46	1.78	0.08
-037	2 1/2	2 5/8	1/16	2.489	.018	.070	.003	63.22	0.46	1.78	0.08
-038	2 5/8	2 3/4	1/16	2.614	.020	.070	.003	66.4	0.51	1.78	0.08
-039	2 3/4	2 7/8	1/16	2.739	.020	.070	.003	69.57	0.51	1.78	0.08
-040	2 7/8	3	1/16	2.864	.020	.070	.003	72.75	0.51	1.78	0.08
-041	3	3 1/8	1/16	2.989	.024	.070	.003	75.92	0.61	1.78	0.08
-042	3 1/4	3 3/8	1/16	3.239	.024	.070	.003	82.27	0.61	1.78	0.08
-043	3 1/2	3 5/8	1/16	3.489	.024	.070	.003	88.62	0.61	1.78	0.08

AS568 UNIVERSA L DASH NUMBERS	NOMINAL SIZE			STANDARD O-RING SIZE				METRIC O-RING SIZE			
	INCHES			INCHES				MILLIMETERS			
	I.D.	O.D.	W.	I.D.	±	W	±	I.D.	±	W	±
-044	3 3/4	3 7/8	1/16	3.739	.027	.070	.003	94.97	0.69	1.78	0.08
-045	4	4 1/8	1/16	3.989	.027	.070	.003	101.32	0.69	1.78	0.08
-046	4 1/4	4 3/8	1/16	4.239	.030	.070	.003	107.67	0.76	1.78	0.08
-047	4 1/2	4 5/8	1/16	4.489	.030	.070	.003	114.02	0.76	1.78	0.08
-048	4 3/4	4 7/8	1/16	4.739	.030	.070	.003	120.37	0.76	1.78	0.08
-049	5	5 1/8	1/16	4.989	.037	.070	.003	126.72	0.94	1.78	0.08
-050	5 1/4	5 3/8	1/16	5.239	.037	.070	.003	133.07	0.94	1.78	0.08
-102	1/16	1/4	3/32	.049	.005	.103	.003	1.24	0.13	2.62	0.08
-103	3/32	9/32	3/32	.081	.005	.103	.003	2.06	0.13	2.62	0.08
-104	1/8	5/16	3/32	.112	.005	.103	.003	2.84	0.13	2.62	0.08
-105	5/32	11/32	3/32	.143	.005	.103	.003	3.63	0.13	2.62	0.08
-106	3/16	3/8	3/32	.174	.005	.103	.003	4.42	0.13	2.62	0.08
-107	7/32	13/32	3/32	.206	.005	.103	.003	5.23	0.13	2.62	0.08
-108	1/4	7/16	3/32	.237	.005	.103	.003	6.02	0.13	2.62	0.08
-109	5/16	1/2	3/32	.299	.005	.103	.003	7.59	0.13	2.62	0.08
-110	3/8	9/16	3/32	.362	.005	.103	.003	9.19	0.13	2.62	0.08
-111	7/16	5/8	3/22	.424	.005	.103	.003	10.77	0.13	2.62	0.08
-112	1/2	11/16	3/32	.487	.005	.103	.003	12.37	0.13	2.62	0.08
-113	9/16	3/4	3/32	.549	.007	.103	.003	13.94	0.18	2.62	0.08
-114	5/8	13/16	3/32	.612	.009	.103	.003	15.54	0.23	2.62	0.08
-115	11/16	7/8	3/32	.674	.009	.103	.003	17.12	0.23	2.62	0.08
-116	3/4	15/16	3/32	.737	.009	.103	.003	18.72	0.23	2.62	0.08
-117	13/16	1	3/32	.799	.010	.103	.003	20.3	0.25	2.62	0.08
-118	7/8	1 1/16	3/32	.862	.010	.103	.003	21.89	0.25	2.62	0.08
-119	15/16	1 1/8	3/32	.924	.010	.103	.003	23.47	0.25	2.62	0.08
-120	1	1 3/16	3/32	.987	.010	.103	.003	25.07	0.25	2.62	0.08
-121	1 1/16	1 1/4	3/32	1.049	.010	.103	.003	26.64	0.25	2.62	0.08
-122	1 1/8	1 5/16	3/32	1.112	.010	.103	.003	28.24	0.25	2.62	0.08
-123	1 3/16	1 3/8	3/32	1.174	.012	.103	.003	29.82	0.3	2.62	0.08
-124	1 1/4	1 7/16	3/32	1.237	.012	.103	.003	31.42	0.3	2.62	0.08
-125	1 5/16	1 1/2	3/32	1.299	.012	.103	.003	32.99	0.3	2.62	0.08
-126	1 3/8	1 9/16	3/32	1.362	.012	.103	.003	34.59	0.3	2.62	0.08
-127	1 7/16	1 5/8	3/32	1.424	.012	.103	.003	36.17	0.3	2.62	0.08
-128	1 1/2	1 11/16	3/32	1.487	.012	.103	.003	37.77	0.3	2.62	0.08
-129	1 9/16	1 3/4	3/32	1.549	.015	.103	.003	39.34	0.38	2.62	0.08
-130	1 5/8	1 13/16	3/32	1.612	.015	.103	.003	40.94	0.38	2.62	0.08
-131	1 11/16	1 7/8	3/32	1.674	.015	.103	.003	42.52	0.38	2.62	0.08
-132	1 3/4	1 15/16	3/32	1.737	.015	.103	.003	44.12	0.38	2.62	0.08
-133	1 13/16	2	3/32	1.799	.015	.103	.003	45.69	0.38	2.62	0.08
-134	1 7/8	2 1/16	3/32	1.862	.015	.103	.003	47.29	0.38	2.62	0.08
-135	1 15/16	2 1/8	3/32	1.925	.017	.103	.003	48.9	0.43	2.62	0.08
-136	2	2 3/16	3/22	1.987	.017	.103	.003	50.47	0.43	2.62	0.08
-137	2 1/16	2 1/4	3/22	2.050	.017	.103	.003	52.07	0.43	2.62	0.08
AS568 UNIVERSA L DASH NUMBERS	NOMINAL SIZE			STANDARD O-RING SIZE				METRIC O-RING SIZE			
	INCHES			INCHES				MILLIMETERS			
	I.D.	O.D.	W.	I.D.	±	W	±	I.D.	±	W	±
-138	2 1/8	2 5/16	3/32	2.112	.017	.103	.003	53.64	0.43	2.62	0.08
-139	2 3/16	2 3/8	3/32	2.175	.017	.103	.003	55.25	0.43	2.62	0.08
-140	2 1/4	2 7/16	3/32	2.237	.017	.103	.003	56.82	0.43	2.62	0.08
-141	2 5/16	2 1/2	3/32	2.3	.020	.103	.003	58.42	0.51	2.62	0.08
-142	2 3/8	2 9/16	3/32	2.362	.020	.103	.003	59.99	0.51	2.62	0.08
-143	2 7/10	2 5/8	3/32	2.425	.020	.103	.003	61.6	0.51	2.62	0.08
-144	2 1/2	2 11/16	3/22	2.487	.020	.103	.003	63.17	0.51	2.62	0.08
-145	2 9/16	2 3/4	3/22	2.55	.020	.103	.003	64.77	0.51	2.62	0.08
-146	2 5/8	2 13/16	3/22	2.612	.020	.103	.003	66.34	0.51	2.62	0.08
-147	2 11/16	2 7/8	3/32	2.675	.022	.103	.003	67.95	0.56	2.62	0.08
-148	2 3/4	2 15/16	3/32	2.737	.022	.103	.003	69.52	0.56	2.62	0.08
-149	2 13/16	3	3/32	2.8	.022	.103	.003	71.12	0.56	2.62	0.08
-150	2 7/8	3 1/16	3/32	2.862	.022	.103	.003	72.69	0.56	2.62	0.08
-151	3	3 3/16	3/32	2.987	.024	.103	.003	75.87	0.61	2.62	0.08
-152	3 1/4	3 7/16	3/32	3.237	.024	.103	.003	82.22	0.61	2.62	0.08
-153	3 1/2	3 11/16	3/32	3.487	.024	.103	.003	88.57	0.61	2.62	0.08
-154	3 3/4	3 15/16	3/32	3.737	.028	.103	.003	94.92	0.71	2.62	0.08
-155	4	4 3/16	3/32	3.987	.028	.103	.003	101.27	0.71	2.62	0.08
-156	4 1/4	4 7/16	3/32	4.237	.030	.103	.003	107.62	0.76	2.62	0.08
-157	4 1/2	4 11/16	3/32	4.487	.030	.103	.003	113.97	0.76	2.62	0.08
-158	4 3/4	4 15/16	3/32	4.737	.030	.103	.003	120.32	0.76	2.62	0.08
-159	5	5 3/16	3/32	4.987	.035	.103	.003	126.67	0.89	2.62	0.08
-160	5 1/4	5 7/16	3/32	5.237	.035	.103	.003	133.02	0.89	2.62	0.08

-161	5 1/2	5 11/16	3/32	5.487	0.35	.103	.003	139.37	0.89	2.62	0.08
-162	5 3/4	5 15/16	3/32	5.737	.035	.103	.003	145.72	0.89	2.62	0.08
-163	6	6 3/16	3/32	5.987	.035	.103	.003	152.07	0.89	2.62	0.08
-164	6 1/4	6 7/16	3/32	6.237	.040	.103	.003	158.42	1.02	2.62	0.08
-165	6 1/2	6 11/16	3/32	6.487	.040	.103	.003	164.77	1.02	2.62	0.08
-166	6 3/4	6 15/16	3/32	6.737	.040	.103	.003	171.12	1.02	2.62	0.08
-167	7	7 3/16	3/32	6.987	.040	.103	.003	177.47	1.02	2.62	0.08
-168	7 1/4	7 7/16	3/32	7.237	.045	.103	.003	183.82	1.14	2.62	0.08
-168	7 1/2	7 11/16	3/22	7.487	.045	.103	.003	190.17	1.14	2.62	0.08
-170	7 3/4	7 15/16	3/32	7.737	.045	.103	.003	196.52	1.14	2.62	0.08
-171	8	8 3/16	3/32	7.987	.045	.103	.003	202.87	1.14	2.62	0.08
-172	8 1/4	8 7/16	3/32	8.237	.050	.103	.003	209.22	1.27	2.62	0.08
-173	8 1/2	8 11/16	3/32	8.487	.050	.103	.003	215.57	1.27	2.62	0.08
-174	8 3/4	8 15/16	3/32	8.737	.050	.103	.003	221.92	1.27	2.62	0.08
-175	9	9 3/16	3/32	8.987	.050	.103	.003	228.27	1.27	2.62	0.08
-176	9 1/4	9 7/16	3/32	9.237	.055	.103	.003	234.62	1.4	2.62	0.08
-177	9 1/2	9 11/16	3/32	9.487	.055	.103	.003	240.97	1.4	2.62	0.08
-178	9 3/4	9 15/16	3/32	9.737	.055	.103	.003	247.32	1.4	2.62	0.08
-201	3/16	7/16	1/8	.171	.055	.139	.004	4.34	0.13	3.53	0.1
-202	1/4	1/2	1/8	.234	.005	.139	.004	5.94	0.13	3.53	0.1
AS568 UNIVERSAL DASH NUMBERS	NOMINAL SIZE			STANDARD O-RING SIZE				METRIC O-RING SIZE			
	INCHES			INCHES				MILLIMETERS			
	I.D.	O.D.	W.	I.D.	±	W	±	I.D.	±	W	±
-203	5/16	9/16	1/8	.296	.005	.139	.004	7.52	0.13	3.53	0.1
-204	3/8	5/8	1/8	.359	.005	.139	.004	9.12	0.13	3.53	0.1
-205	7/16	11/16	1/8	.421	.005	.139	.004	10.69	0.13	3.53	0.1
-206	1/2	3/4	1/8	.484	.005	.139	.004	12.29	0.13	3.53	0.1
-207	9/16	13/16	1/8	.546	.007	.139	.004	13.87	0.18	3.53	0.1
-208	5/8	7/8	1/8	.609	.009	.139	.004	15.47	0.23	3.53	0.1
-209	11/16	15/16	1/8	.671	.010	.139	.004	17.04	0.23	3.53	0.1
-210	3/4	1	1/8	.734	.010	.139	.004	18.64	0.25	3.53	0.1
-211	13/16	1 1/16	1/8	.796	.010	.139	.004	20.22	0.25	3.53	0.1
-212	7/8	1 1/8	1/8	.859	.010	.139	.004	21.82	0.25	3.53	0.1
-213	15/16	1 3/16	1/8	.921	.010	.139	.004	23.39	0.25	3.53	0.1
-214	1	1 1/4	1/8	.984	.010	.139	.004	24.99	0.25	3.53	0.1
-215	1 1/16	1 5/16	1/8	1.046	.010	.139	.004	26.57	0.25	3.53	0.1
-216	1 1/8	1 3/8	1/8	1.109	.012	.139	.004	28.17	0.3	3.53	0.1
-217	1 3/16	1 7/16	1/8	1.171	.012	.139	.004	29.74	0.3	3.53	0.1
-218	1 1/4	1 1/2	1/8	1.234	.012	.139	.004	31.34	0.3	3.53	0.1
-219	1 5/16	1 9/16	1/8	1.296	.012	.139	.004	32.92	0.3	3.53	0.1
-220	1 3/8	1 5/8	1/8	1.359	.012	.139	.004	34.52	0.3	3.53	0.1
-221	1 7/16	1 11/16	1/8	1.421	.012	.139	.004	36.09	0.3	3.53	0.1
-222	1 1/2	1 3/4	1/8	1.484	.015	.139	.004	37.69	0.38	3.53	0.1
-223	1 5/8	1 7/8	1/8	1.609	.015	.139	.004	40.87	0.38	3.53	0.1
-224	1 3/4	2	1/8	1.734	.015	.139	.004	44.04	0.38	3.53	0.1
-225	1 7/8	2 1/8	1/8	1.859	.018	.139	.004	47.22	0.46	3.53	0.1
-226	2	2 1/4	1/8	1.984	.018	.139	.004	50.39	0.46	3.53	0.1
-227	2 1/16	2 3/8	1/8	2.109	.018	.139	.004	53.57	0.46	3.53	0.1
-228	2 1/4	2 1/2	1/8	2.234	.020	.139	.004	56.74	0.51	3.53	0.1
-229	2 3/8	2 5/8	1/8	2.359	.020	.139	.004	59.92	0.51	3.53	0.1
-230	2 1/2	2 3/4	1/8	2.484	.020	.139	.004	63.09	0.51	3.53	0.1
-231	2 5/8	2 7/8	1/8	2.609	.020	.139	.004	66.27	0.51	3.53	0.1
-232	2 3/4	3	1/8	2.734	.024	.139	.004	69.44	0.61	3.53	0.1
-233	2 7/8	3 1/8	1/8	2.859	.024	.139	.004	72.62	0.61	3.53	0.1
-234	3	3 1/4	1/8	2.984	.024	.139	.004	75.79	0.61	3.53	0.1
-235	3 1/8	3 3/8	1/8	3.109	.024	.139	.004	78.97	0.61	3.53	0.1
-236	3 1/4	3 1/2	1/8	3.234	.024	.139	.004	82.14	0.61	3.53	0.1
-237	3 3/8	3 5/8	1/8	3.359	.024	.139	.004	85.32	0.61	3.53	0.1
-238	3 1/2	3 3/4	1/8	3.484	.024	.139	.004	88.49	0.61	3.53	0.1
-239	3 5/8	3 7/8	1/8	3.609	.028	.139	.004	91.67	0.71	3.53	0.1
-240	3 3/4	4	1/8	3.734	.028	.139	.004	94.84	0.71	3.53	0.1
-241	3 7/8	4 1/8	1/8	3.859	.028	.139	.004	98.02	0.71	3.53	0.1
-242	4	4 1/4	1/8	3.984	.028	.139	.004	101.19	0.71	3.53	0.1
-243	4 1/8	4 3/8	1/8	4.109	.028	.139	.004	104.37	0.71	3.53	0.1
-244	4 1/4	4 1/2	1/8	4.234	.030	.139	.004	107.54	0.76	3.53	0.1
-245	4 3/8	4 5/8	1/8	4.359	.030	.139	.004	110.72	0.76	3.53	0.1
AS568 UNIVERSAL DASH NUMBERS	NOMINAL SIZE			STANDARD O-RING SIZE				METRIC O-RING SIZE			
	INCHES			INCHES				MILLIMETERS			
	I.D.	O.D.	W.	I.D.	±	W	±	I.D.	±	W	±
-246	4 1/2	4 3/4	1/8	4.484	.030	.139	.004	113.89	0.76	3.53	0.1
-247	4 5/8	4 7/8	1/8	4.609	.030	.139	.004	117.07	0.76	3.53	0.1
-248	4 3/4	5	1/8	4.734	.030	.139	.004	120.24	0.76	3.53	0.1

-249	4 7/8	5 1/8	1/8	4.859	.035	.139	.004	123.42	0.89	3.53	0.1
-250	5	5 1/4	1/8	4.984	.035	.139	.004	126.59	0.89	3.53	0.1
-251	5 1/8	5 3/8	1/8	5.109	.035	.139	.004	129.77	0.89	3.53	0.1
-252	5 1/4	5 1/2	1/8	5.234	.035	.139	.004	132.94	0.89	3.53	0.1
-253	5 3/8	5 5/8	1/8	5.359	.035	.139	.004	136.12	0.89	3.53	0.1
-254	5 1/2	5 3/4	1/8	5.484	.035	.139	.004	139.29	0.89	3.53	0.1
-255	5 5/8	5 7/8	1/8	5.609	.035	.139	.004	142.47	0.89	3.53	0.1
-256	5 3/4	6	1/8	5.734	.035	.139	.004	145.65	0.89	3.53	0.1
-257	5 7/8	6 1/8	1/8	5.859	.035	.139	.004	148.82	0.89	3.53	0.1
-258	6	6 1/4	1/8	5.984	.035	.139	.004	151.99	0.89	3.53	0.1
-259	6 1/4	6 1/2	1/8	6.234	.040	.139	.004	158.34	1.02	3.53	0.1
-260	6 1/2	6 3/4	1/8	6.484	.040	.139	.004	164.69	1.02	3.53	0.1
-261	6 3/4	7	1/8	6.734	.040	.139	.004	171.04	1.02	3.53	0.1
-262	7	7 1/4	1/8	6.984	.040	.139	.004	177.39	1.02	3.53	0.1
-263	7 1/4	7 1/2	1/8	7.234	.045	.139	.004	183.74	1.14	3.53	0.1
-264	7 1/2	7 3/4	1/8	7.484	.045	.139	.004	190.09	1.14	3.53	0.1
-265	7 3/4	8	1/8	7.734	.045	.139	.004	196.44	1.14	3.53	0.1
-266	8	8 1/4	1/8	7.984	.045	.139	.004	202.79	1.14	3.53	0.1
-267	8 1/4	8 1/2	1/8	8.234	.050	.139	.004	209.14	1.27	3.53	0.1
-268	8 1/2	8 3/4	1/8	8.484	.050	.139	.004	215.49	1.27	3.53	0.1
-269	8 3/4	9	1/8	8.734	.050	.139	.004	221.84	1.27	3.53	0.1
-270	9	9 1/4	1/8	8.984	.050	.139	.004	228.19	1.27	3.53	0.1
-271	9 1/4	9 1/2	1/8	9.234	.055	.139	.004	234.54	1.4	3.53	0.1
-272	9 1/2	9 3/4	1/8	9.484	.055	.139	.004	240.89	1.4	3.53	0.1
-273	9 3/4	10	1/8	9.734	.055	.139	.004	247.24	1.4	3.53	0.1
-274	10	10 1/4	1/8	9.984	.055	.139	.004	253.59	1.4	3.53	0.1
-275	10 1/2	10 3/4	1/8	10.484	.055	.139	.004	266.29	1.4	3.53	0.1
-276	11	11 1/4	1/8	10.984	.065	.139	.004	278.99	1.65	3.53	0.1
-277	11 1/2	11 3/4	1/8	11.484	.065	.139	.004	291.69	1.65	3.53	0.1
-278	12	12 1/4	1/8	11.984	.065	.139	.004	304.39	1.65	3.53	0.1
-279	13	13 1/4	1/8	12.984	.065	.139	.004	329.79	1.65	3.53	0.1
-280	14	14 1/4	1/8	13.984	.065	.139	.004	355.19	1.65	3.53	0.1
-281	15	15 1/4	1/8	14.984	.065	.139	.004	380.59	1.65	3.53	0.1
-282	16	16 1/4	1/8	15.955	.075	.139	.004	405.26	1.91	3.53	0.1
-283	17	17 1/4	1/8	16.955	.080	.139	.004	430.66	2.03	3.53	0.1
-284	18	18 1/4	1/8	17.955	.085	.139	.004	456.06	2.16	3.53	0.1
-309	7/16	13/16	3/16	.412	.005	.210	.005	10.46	0.13	5.33	0.13
-310	1/2	7/8	3/16	.475	.005	.210	.005	12.07	0.13	5.33	0.13
-311	9/16	15/16	3/16	.537	.007	.210	.005	13.64	0.18	5.33	0.13
-312	5/8	1	3/16	.600	.009	.210	.005	15.24	0.23	5.33	0.13
AS568 UNIVERSAL DASH NUMBERS	NOMINAL SIZE			STANDARD O-RING SIZE				METRIC O-RING SIZE			
	INCHES			INCHES				MILLIMETERS			
	I.D.	O.D.	W.	I.D.	±	W	±	I.D.	±	W	±
-313	11/16	1 1/16	3/16	.662	.009	.210	.005	16.81	0.23	5.33	0.13
-314	3/4	1 1/8	3/16	.725	.010	.210	.005	18.42	0.25	5.33	0.13
-315	13/16	1 3/16	3/16	.787	.010	.210	.005	19.99	0.25	5.33	0.13
-316	7/8	1 1/4	3/16	.850	.010	.210	.005	21.59	0.25	5.33	0.13
-317	15/16	1 5/16	3/16	.912	.010	.210	.005	23.16	0.25	5.33	0.13
-318	1	1 3/8	3/16	.975	.010	.210	.005	24.77	0.25	5.33	0.13
-319	1 1/16	1 7/16	3/16	1.037	.010	.210	.005	26.34	0.25	5.33	0.13
-320	1 1/8	1 1/2	3/16	1.1	.012	.210	.005	27.94	0.3	5.33	0.13
-321	1 3/16	1 9/16	3/16	1.162	.012	.210	.005	29.51	0.3	5.33	0.13
-322	1 1/4	1 5/8	3/16	1.225	.012	.210	.005	31.12	0.3	5.33	0.13
-323	1 5/16	1 11/16	3/16	1.287	.012	.210	.005	32.69	0.3	5.33	0.13
-324	1 3/8	1 3/4	3/16	1.35	.012	.210	.005	34.29	0.3	5.33	0.13
-325	1 1/2	1 7/8	3/16	1.475	.015	.210	.005	37.47	0.38	5.33	0.13
-326	1 5/8	2	3/16	1.6	.015	.210	.005	40.64	0.38	5.33	0.13
-327	1 3/4	2 1/8	3/16	1.725	.015	.210	.005	43.82	0.38	5.33	0.13
-328	1 7/8	2 1/4	3/16	1.85	.015	.210	.005	46.99	0.38	5.33	0.13
-329	2	2 3/8	3/16	1.975	.018	.210	.005	50.17	0.46	5.33	0.13
-330	2 1/8	2 1/2	3/16	2.1	.018	.210	.005	53.34	0.46	5.33	0.13
-331	2 1/4	2 5/8	3/16	2.225	.018	.210	.005	56.52	0.46	5.33	0.13
-332	2 3/8	2 3/4	3/16	2.350	.018	.210	.005	59.69	0.46	5.33	0.13
-333	2 1/2	2 7/8	3/16	2.475	.020	.210	.005	62.87	0.51	5.33	0.13
-334	2 5/8	3	3/16	2.6	.020	.210	.005	66.04	0.51	5.33	0.13
-335	2 3/4	3 1/8	3/16	2.725	.020	.210	.005	69.22	0.51	5.33	0.13
-336	2 7/8	3 1/4	3/16	2.850	.020	.210	.005	72.39	0.51	5.33	0.13
-337	3	3 3/8	3/16	2.975	.024	.210	.005	75.57	0.61	5.33	0.13
-338	3 1/8	3 1/2	3/16	3.1	.024	.210	.005	78.74	0.61	5.33	0.13
-339	3 1/4	3 5/8	3/16	3.225	.024	.210	.005	81.92	0.61	5.33	0.13
-340	3 3/8	3 3/4	3/16	3.35	.024	.210	.005	85.09	0.61	5.33	0.13
-341	3 1/2	3 7/8	3/16	3.475	.024	.210	.005	88.27	0.61	5.33	0.13
-342	3 5/8	4	3/16	3.6	.028	.210	.005	91.44	0.71	5.33	0.13

-343	3 3/4	4 1/8	3/16	3.725	.028	.210	.005	94.62	0.71	5.33	0.13
-344	3 7/8	4 1/4	3/16	3.850	.028	.210	.005	97.79	0.71	5.33	0.13
-345	4	4 3/8	3/16	3.975	.028	.210	.005	100.97	0.71	5.33	0.13
-346	4 1/8	4 1/2	3/16	4.1	.028	.210	.005	104.14	0.71	5.33	0.13
-347	4 1/4	4 5/8	3/16	4.225	.030	.21	.005	107.32	0.76	5.33	0.13
-348	4 3/8	4 3/4	3/16	4.350	.030	.210	.005	110.49	0.76	5.33	0.13
-349	4 1/2	4 7/8	3/16	4.475	.030	.210	.005	113.67	0.76	5.33	0.13
-350	4 5/8	5	3/16	4.6	.030	.210	.005	116.84	0.76	5.33	0.13
-351	4 3/4	5 1/8	3/16	4.725	.030	.210	.005	120.02	0.76	5.33	0.13
-352	4 7/8	5 1/4	3/16	4.850	.030	.210	.005	123.19	0.76	5.33	0.13
-353	5	5 3/8	3/16	4.975	.037	.210	.005	126.37	0.94	5.33	0.13
-354	5 1/8	5 1/2	3/16	5.1	.037	.210	.005	129.54	0.94	5.33	0.13
-355	5 1/4	5 5/8	3/16	5.225	.037	.210	.005	132.72	0.94	5.33	0.13
AS568 UNIVERSA L DASH NUMBERS	NOMINAL SIZE			STANDARD O-RING SIZE				METRIC O-RING SIZE			
	INCHES			INCHES				MILLIMETERS			
	I.D.	O.D.	W.	I.D.	±	W	±	I.D.	±	W	±
-356	5 3/8	5 3/4	3/16	5.350	.037	.210	.005	135.89	0.94	5.33	0.13
-357	5 1/2	5 7/8	3/16	5.475	.037	.210	.005	139.07	0.94	5.33	0.13
-358	5 5/8	6	3/16	5.6	.037	.21	.005	142.24	0.94	5.33	0.13
-359	5 3/4	6 1/8	3/16	5.725	.037	.210	.005	145.42	0.94	5.33	0.13
-360	5 7/8	6 1/4	3/16	5.850	.037	.210	.005	148.59	0.94	5.33	0.13
-361	6	6 3/8	3/16	5.975	.0371	.210	.005	151.77	0.94	5.33	0.13
-362	6 1/4	6 5/8	3/16	6.225	.040	.210	.005	158.12	1.02	5.33	0.13
-363	6 1/2	6 7/8	3/16	6.475	.040	.210	.005	164.47	1.02	5.33	0.13
-364	6 3/4	7 1/8	3/16	6.725	.040	.210	.005	170.82	1.02	5.33	0.13
-365	7	7 3/8	3/16	6.975	.040	.210	.005	177.17	1.02	5.33	0.13
-366	7 1/4	7 5/8	3/16	7.225	.045	.210	.005	183.52	1.14	5.33	0.13
-367	7 1/2	7 7/8	3/16	7.475	.045	.210	.005	189.87	1.14	5.33	0.13
-368	7 3/4	8 1/8	3/16	7.725	.045	.210	.005	196.22	1.14	5.33	0.13
-369	8	8 3/8	3/16	7.975	.045	.210	.005	202.57	1.14	5.33	0.13
-370	8 1/4	8 5/8	3/16	8.225	.050	.210	.005	208.92	1.27	5.33	0.13
-371	8 1/2	8 7/8	3/16	8.475	.050	.210	.005	215.27	1.27	5.33	0.13
-372	8 3/4	9 1/8	3/16	8.725	.050	.210	.005	221.62	1.27	5.33	0.13
-373	9	9 3/8	3/16	8.975	.050	.210	.005	227.97	1.27	5.33	0.13
-374	9 1/4	9 5/8	3/16	9.225	.055	.210	.005	234.32	1.4	5.33	0.13
-375	9 1/2	9 7/8	3/16	9.475	.055	.210	.005	240.67	1.4	5.33	0.13
-376	9 3/4	10 1/8	3/16	9.725	.055	.210	.005	247.02	1.4	5.33	0.13
-377	10	10 3/8	3/16	9.975	.055	.210	.005	253.37	1.4	5.33	0.13
-378	10 1/2	10 7/8	3/16	10.475	.060	.210	.005	266.07	1.52	5.33	0.13
-379	11	11 3/8	3/16	10.975	.060	.210	.005	278.77	1.52	5.33	0.13
-380	11 1/2	11 7/8	3/16	11.475	.065	.210	.005	291.47	1.65	5.33	0.13
-381	12	12 3/8	3/16	11.975	.065	.210	.005	304.17	1.65	5.33	0.13
-382	13	13 3/8	3/16	12.975	.065	.210	.005	329.57	1.65	5.33	0.13
-383	14	14 3/8	3/16	13.975	.070	.210	.005	354.97	1.78	5.33	0.13
-384	15	15 3/8	3/16	14.975	.070	.210	.005	380.37	1.78	5.33	0.13
-385	16	16 3/8	3/16	15.955	.075	.210	.005	405.26	1.91	5.33	0.13
-386	17	17 3/8	3/16	16.955	.080	.210	.005	430.66	2.03	5.33	0.13
-387	18	18 3/8	3/16	17.955	.085	.210	.005	456.06	2.16	5.33	0.13
-388	19	19 3/8	3/16	18.955	.090	.210	.005	481.41	2.29	5.33	0.13
-389	20	20 3/8	3/16	19.955	.095	.210	.005	506.81	2.41	5.33	0.13
-390	21	21 3/8	3/16	20.955	.095	.210	.005	532.21	2.41	5.33	0.13
-391	22	22 3/8	3/16	21.955	.100	.210	.005	557.61	2.54	5.33	0.13
-392	23	23 3/8	3/16	22.940	.105	.210	.005	582.68	2.67	5.33	0.13
-393	24	24 3/8	3/16	23.940	.110	.210	.005	608.08	2.79	5.33	0.13
-394	25	25 3/8	3/16	24.94	.115	.210	.005	633.48	2.92	5.33	0.13
-395	26	26 3/8	3/16	25.94	.120	.210	.005	658.88	3.05	5.33	0.13
-425	4 1/2	5	1/4	4.475	.033	.275	.006	113.67	0.84	6.99	0.15
-426	4 5/8	5 1/8	1/4	4.6	.033	.275	.006	116.84	0.84	6.99	0.15
-427	4 3/4	5 1/4	1/4	4.725	.033	.275	.006	120.02	0.84	6.99	0.15
AS568 UNIVERSA L DASH NUMBERS	NOMINAL SIZE			STANDARD O-RING SIZE				METRIC O-RING SIZE			
	INCHES			INCHES				MILLIMETERS			
	I.D.	O.D.	W.	I.D.	±	W	±	I.D.	±	W	±
-428	4 7/8	5 3/8	1/4	4.850	0.33	.275	.006	123.19	0.84	6.99	0.15
-429	5	5 1/2	1/4	4.975	.037	.275	.006	126.37	0.94	6.99	0.15
-430	5 1/8	5 5/8	1/4	5.10	0.37	.275	.006	129.54	0.94	6.99	0.15
-431	5 1/4	5 3/4	1/4	5.225	.037	.275	.006	132.72	0.94	6.99	0.15
-432	5 3/8	5 7/8	1/4	5.350	.037	.275	.006	135.89	0.94	6.99	0.15
-433	5 1/2	6	1/4	5.475	.037	.275	.006	139.07	0.94	6.99	0.15
-434	5 5/8	6 1/8	1/4	5.6	.037	.275	.006	142.24	0.94	6.99	0.15
-435	5 3/4	6 1/4	1/4	5.725	.037	.275	.006	145.42	0.94	6.99	0.15
-436	5 7/8	6 3/8	1/4	5.850	.037	.275	.006	148.59	0.94	6.99	0.15
-437	6	6 1/2	1/4	5.975	.037	.275	.006	151.77	0.94	6.99	0.15

-438	6 1/4	6 3/4	1/4	6.225	.037	.275	.006	158.12	1.02	6.99	0.15
-439	6 1/2	7	1/4	6.475	.040	.275	.006	164.47	1.02	6.99	0.15
-440	6 3/4	7 1/4	1/4	6.725	.040	.275	.006	170.82	1.02	6.99	0.15
-441	7	7 1/2	1/4	6.975	.040	.275	.006	177.17	1.02	6.99	0.15
-442	7 1/4	7 3/4	1/4	7.225	.045	.275	.006	183.52	1.14	6.99	0.15
-443	7 1/2	8	1/4	7.475	.045	.275	.006	189.87	1.14	6.99	0.15
-444	7 3/4	8 1/4	1/4	7.725	.045	.275	.006	196.22	1.14	6.99	0.15
-445	8	8 1/2	1/4	7.975	.045	.275	.006	202.57	1.14	6.99	0.15
-446	8 1/2	9	1/4	8.475	.055	.275	.006	215.27	1.4	6.99	0.15
-447	9	9 1/2	1/4	8.975	.055	.275	.006	227.97	1.4	6.99	0.15
-448	9 1/2	10	1/4	9.475	.055	.275	.006	240.67	1.4	6.99	0.15
-449	10	10 1/2	1/4	9.975	.055	.275	.006	253.37	1.4	6.99	0.15
-450	10 1/2	11	1/4	10.475	.060	.275	.006	266.07	1.52	6.99	0.15
-451	11	11 1/2	1/4	10.975	.060	.275	.006	278.77	1.52	6.99	0.15
-452	11 1/2	12	1/4	11.475	.060	.275	.006	291.47	1.52	6.99	0.15
-453	12	12 1/2	1/4	11.975	.060	.275	.006	304.17	1.52	6.99	0.15
-454	12 1/2	13	1/4	12.475	.060	.275	.006	316.87	1.52	6.99	0.15
-455	13	13 1/2	1/4	12.975	.060	.275	.006	329.57	1.52	6.99	0.15
-456	12 1/2	14	1/4	13.475	.070	.275	.006	342.27	1.78	6.99	0.15
-457	14	14 1/2	1/4	13.975	.070	.275	.006	354.97	1.78	6.99	0.15
-458	14 1/2	15	1/4	14.475	.070	.275	.006	367.67	1.78	6.99	0.15
-459	15	15 1/2	1/4	14.975	.070	.275	.006	380.37	1.78	6.99	0.15
-460	15 1/2	16	1/4	15.475	.070	.275	.006	393.07	1.78	6.99	0.15
-461	16	16 1/2	1/4	15.955	.075	.275	.006	405.26	1.91	6.99	0.15
-462	16 1/2	17	1/4	16.455	.075	.275	.006	417.96	1.91	6.99	0.15
-463	17	17 1/2	1/4	16.955	.080	.275	.006	430.66	2.03	6.99	0.15
-464	17 1/2	18	1/4	17.455	.085	.275	.006	443.36	2.16	6.99	0.15
-465	18	18 1/2	1/4	17.955	.085	.275	.006	456.06	2.16	6.99	0.15
-466	18 1/2	19	1/4	18.455	.085	.275	.006	468.76	2.16	6.99	0.15
-467	19	19 1/2	1/4	18.955	.090	.275	.006	481.46	2.29	6.99	0.15
-468	19 1/2	20	1/4	19.455	.090	.275	.006	494.16	2.29	6.99	0.15
-469	20	20 1/2	1/4	19.955	.095	.275	.006	506.86	2.41	6.99	0.15
-470	21	21 1/2	1/4	20.955	.095	.275	.006	532.26	2.41	6.99	0.15
AS568 UNIVERSAL DASH NUMBERS	NOMINAL SIZE			STANDARD O-RING SIZE				METRIC O-RING SIZE			
	INCHES			INCHES				MILLIMETERS			
	I.D.	O.D.	W.	I.D.	±	W	±	I.D.	±	W	±
-471	22	22 1/2	1/4	21.955	.100	.275	.006	557.66	2.54	6.99	0.15
-472	23	23 1/2	1/4	22.940	.105	.275	.006	582.68	2.67	6.99	0.15
-473	24	24 1/2	1/4	23.940	.110	.275	.006	608.08	2.79	6.99	0.15
-474	25	25 1/2	1/4	24.94	.115	.275	.006	633.48	2.92	6.99	0.15
-475	26	26 1/2	1/4	25.940	.120	.275	.006	658.88	3.05	6.99	0.15
AS568 UNIVERSAL DASH NUMBERS	TUBE O.D.			O-RING SIZE				METRIC O-RING SIZE			
	INCHES			INCHES				MILLIMETERS			
	O.D.	I.D.	±	W	±	I.D.	±	W	±		
-901	3/32	.185	.005	.056	.003	4.7	0.13	1.42	0.08		
-902	1/8	.239	.005	.064	.003	6.07	0.13	1.63	0.08		
-903	3/16	.301	.005	.064	.003	7.65	0.13	1.63	0.08		
-904	1/4	.351	.005	.072	.003	8.92	0.13	1.83	0.08		
-905	5/16	.414	.005	.072	.003	10.52	0.13	1.83	0.08		
-906	3/8	.468	.005	.078	.003	11.89	0.13	1.93	0.08		
-907	7/16	.530	.007	.082	.003	13.46	0.18	2.08	0.08		
-908	1/2	.644	.009	.087	.003	16.36	0.23	2.21	0.08		
-909	9/16	.706	.009	.097	.003	17.93	0.23	2.46	0.08		
-910	5/8	.755	.009	.097	.003	19.18	0.23	2.46	0.08		
-911	11/16	.863	.009	.116	.004	21.92	0.23	2.95	0.1		
-912	3/4	.924	.009	.116	.004	23.47	0.23	2.95	0.1		
-913	13/16	.986	.010	.116	.004	25.04	0.26	2.95	0.1		
-914	7/8	1.047	.010	.116	.004	26.59	0.26	2.95	0.1		
-916	1	1.171	.010	.116	.004	29.74	0.26	2.95	0.1		
-918	1 1/8	1.355	.012	.116	.004	34.42	0.3	2.95	0.1		
-20	1 1/4	1.475	.014	.118	.004	37.47	0.36	3	0.1		
-924	1 1/2	1.720	.014	.118	.004	43.69	0.36	3	0.1		
-928	1 3/4	2.090	.018	.118	.004	53.09	0.46	3	0.1		
-932	2	2.337	.018	.118	.004	59.36	0.46	3	0.1		



